INDEX

IEE Proceedings Part H
Microwaves, Optics and Antennas
Vol. 127, 1980

Abbreviations
p Paper, address or lecture
d Discussion on a paper
a Abstract of paper or address
e Errata
s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Adams, M.F., and Anderson, A.P. Three-dimensional image-construction technique and its application to coherent microwave diagnostics p138
Aitchison, C.S., and Madani, K. see Madani, K.
Alseyab, S.A., and Rhodes, J.D. Design procedure for multioctave combline-filter multiplexers p346
Anderson, A.P., and Adams, M.F. see Adams, M.F.
Andrews, J.R., Nahman, N.S., Gans, W.L., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Arvidsson, G., and Thylén, L. Novel method for coupling between single-mode fibres and integrated optical components and its possible applications p37

B

Bailey, A.E. International harmonisation of microwave standards p70
Ball, J.A.R., and Khan, P.J. Source region electric field derivation by a dyadic Green's function approach p301
Barlow, H.M., Sugimoto, E., and Davies, J.B. see Sugimoto, E.
Bates, R.H.T., and Milner, M.O. see Milner, M.O.
Bedair, S.S., and Sobhy, M.I. Accurate formulas for computer-aided design of shielded microstrip circuits p305
Benjamin, R. Optimum use of fully populated, over populated and sparsely filled antenna apertures p117
Binh, L.N., and Livingstone, J. Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$ p323
Bird, T.S., and Boomars, J.L. Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna p209
Bloch, P.D., and Solymer, L. Analysis of a 4-port Bragg device p133
Bone, M.C., and Wilson, M.G.F. see Wilson, M.G.F.
Boomars, J.L., and Bird, T.S. see Bird, T.S.
Butler, C.M. Investigation of a scatterer coupled to an aperture in a conducting screen p161

C

Carroll, J.E., and Rigg, P.R. Matrix theory for n-line microwave coupler design p309
Carroll, J.E., and Rigg, P.R. see Rigg, P.R.
Chan, K.K., Huang, C.C., and Raab, A.R. Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array p61
Collier, R.J., and El-Deeb, N.A. Microstrip coupler suitable for use as a 6-port reflectometer p87
Cornbleet, S. Flat disc, radially nonhomogeneous, lenses p330
Cullen, A.L. Microwave Measurements (Editorial) p65
Cullen, A.L., Judah, S.K., and Nikravesh, F. Impedance measurement using a 6-port directional coupler p92

D

Das, B.N., Joshi, K.K., and Rao, J.S. see Joshi, K.K.
Davies, D.E.N., and Niazi, A.Y. Studies of a focused-field filter for multiplexing microwave signals p173
Davies, J.B., and Razaz, M. see Razaz, M.
Davies, J.B., Sugimoto, E., and Barlow, H.M. see Sugimoto, E.

E

El-Deeb, N.A., and Collier, R.J. see Collier, R.J.
El-Mokadem, F.T., and Ha, T.T. Low-noise 'circulator-coupled' amplifier for unattended small earth terminals p228
Ellis, J.H. Fundamental limitations of wave-front analysis by least squares p219

F

Franti, L., and Paganuzzi, G.M. Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response p342

G

Gans, W.L., Nahman, N.S., Andrews, J.R., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Grzesik, J. Field matching through volume suppression p20
Guillaume, M.E., Nahman, N.S., Andrews, J.R., Gans, W.L., Lawton, R.A., Ondrejka, A.R., and Young, M. see Nahman, N.S.

H

Ha, T.T., and El-Mokadem, F.T. see El-Mokadem, F.T.
Hall, T.J. High performance multimode optical fibre acoustic sensor utilising heterodyne detection p193
Hamid, M.A.K., and Rao, T.C.K. see Rao, T.C.K.
Helszajn, J. Measurement of symmetrical waveguide discontinuities using the eigenvalue approach p74
Higashi, T., and Kojima, N. Loaded coaxial-cable transmission characteristics p27
Huang, C.C., Chan, K.K., and Raab, A.R. see Chan, K.K.

J

James, G.L. Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas p52
James, G.L. G.T.D. solution for diffraction by convex corrugated surfaces p257
Jorgensen, R. Coverage shaping of contoured-beam antennas by field synthesis p201
Joshi, K.K., Rao, J.S., and Das, B.N. Analysis of inhomogeneously filled stripline and microstripline p11
Joshi, K.K., Rao, J.S., and Das, B.N. Characteristic impedance of nonplanar striplines p287
Judah, S.K., Cullen, A.L., and Nikravesh, F. see Cullen, A.L.

K

Kalikstein, K. Variational bound principle for irregular waveguides p358
Kalinikos, B.A. Excitation of propagating spin waves in ferromagnetic films p4
Keuster, E.F., and Pate, R.C. Fundamental mode propagation on dielectric fibres of arbitrary cross-section p41
Khan, P.J., and Ball, J.A.R. see Ball, J.A.R.
Kojima, N., and Higashi, T. see Higashi, T.
Krowne, C.M. Counter-clockwise reflection-coefficient behaviour on a Smith chart p154 e304
Kumar, A., and Smith, D.G. Microwave properties of liquids using a modified cavity perturbation technique p1

L

Lawton, R.A., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Ondrejka, A.R., and Young, M. see Nahman, N.S.
Lewis, J.E., and Rengarajan, S.R. see Rengarajan, S.R.
Livingstone, J., and Binh, L.N. see Binh, L.N.
Lyon, R.W., and Sangster, A.J. see Sangster, A.J.

M

McAllister, P.A. Phase-lock techniques for synthesis of microwave frequencies p112
Madani, K., and Aitchison, C.S. Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers p292
Milner, M.O., and Bates, R.H.T. Design of subreflectors to compensate for Cassegrain main reflector deformations p277
Morita, N. Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder p263

N

Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., Ondrejka, A.R., and Young, M. Applications of time-domain methods to microwave measurements p99
Neri, R. Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors p241
Niazi, A.Y., and Davies, D.E.N. see Davies, D.E.N.
Nikravesh, F., Cullen, A.L., and Judah, S.K. see Cullen, A.L.

O

Ondrejka, A.R., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., and Young, M. see Nahman, N.S.

P

Paganuzzi, G.M., and Franti, L. see Franti, L.
Parr, D.T., Taylor, J.E., and Stannard Powell, S.J. see Taylor, J.E.
Pask, C. Analysis of optical fibre connectors and modal noise generation p282
Pate, R.C., and Keuster, E.F. see Keuster, E.F.

R

Raab, A.R., Chan, K.K., and Huang, C.C. see Chan, K.K.
Rao, J.S., Joshi, K.K., and Das, B.N. see Joshi, K.K.
Rao, T.C.K., and Hamid, M.A.K. G.T.D. analysis of scattering from a dielectric-coated conducting cylinder p143
Razaz, M., and Davies, J.B. Scattering coefficients of a dielectric taper in a rectangular waveguide p185
Rengarajan, S.R., and Lewis, J.E. Propagation characteristics of elliptical dielectric-tube waveguides p121
Rhodes, J.D., and Alseyab, S.A. see Alseyab, S.A.
Rigg, P.R., and Carroll, J.E. Low-cost computer-based time-domain microwave network analyser p107
Rigg, P.R., and Carroll, J.E. Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines p315
Rigg, P.R., and Carroll, J.E. see Carroll, J.E.
Ruella, P. Resistive diode microwave mixers used as phase comparators p251

S

Sangster, A.J., and Lyon, R.W. Dual-mode waveguides for variably polarised slotted waveguide array antennas p237
Smith, D.G., and Kumar, A. see Kumar, A.
Sobhy, M.I., and Bedair, S.S. see Bedair, S.S.
Solymer, L., and Bloch, P.D. see Bloch, P.D.
Stannard Powell, S.J., Taylor, J.E., and Parr, D.T. see Taylor, J.E.
Sugimoto, E., Barlow, H.M., and Davies, J.B. Measurement of losses in multiconductor cable transmitting in the dipole-mode p270

T

Taylor, J.E., Stannard Powell, S.J., and Parr, D.T. Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial p33
Thylén, L., and Arvidsson, G. see Arvidsson, G.

W

Waldron, R.A. Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar p15
Warner, F.L. New expression for mismatch uncertainty when measuring microwave attenuation p66
Wilkinson, C.O.W., Yi-Yan, A., and Wilkinson, J.A.H. see Yi-Yan, A.
Wilkinson, J.A.H., Yi-Yan, A., and Wilkinson, C.O.W. see Yi-Yan, A.
Wilson, M.G.F., and Bone, M.C. Theory of curved diffraction gratings p127
Wood, C. Improved bandwidth of microstrip antennas using parasitic elements p231
Woods, D. Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser p82

Y

Yi-Yan, A., Wilkinson, J.A.H., and Wilkinson, C.O.W. Optical waveguide filters for the visible spectrum p335
Young, M., Nahman, N.S., Andrews, J.R., Gans, W.L., Guillaume, M.E., Lawton, R.A., and Ondrejka, A.R. see Nahman, N.S.

ACOUSTOELECTRIC EFFECTS

High performance multimode optical fibre acoustic sensor utilising heterodyne detection. T.J.Hall p193
Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$. L.N.Binh and J.Livingstone p323
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone p127

ALGEBRA
(incl. Matrix Algebra)

Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

AMPLIFIERS

Low-noise 'circulator-coupled' amplifier for unattended small earth terminals. F.T.El-Mokadem and T.T.Ha p228

ANTENNAS AND PROPAGATION

Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das p11
Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James p52
Coverage shaping of contoured-beam antennas by field synthesis. R.Jorgensen p201
Design of subreflectors to compensate for Cassegrain main reflector deformations. M.O.Milner and R.H.T.Bates p277
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab p61
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars p209
Fundamental limitations of wave-front analysis by least squares. J.H.Ellis p219
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
G.T.D. solution for diffraction by convex corrugated surfaces. G.L.James p257
Improved bandwidth of microstrip antennas using parasitic elements. C.Wood p231
Optimum use of fully populated, over populated and sparsely filled antenna apertures. R.Benjamin p117
Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors. R.Neri p241

CABLES AND OVERHEAD LINES

Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr p33

CIRCUIT THEORY AND DESIGN

Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

COAXIAL CABLES

Loaded coaxial-cable transmission characteristics. T.Higashi and N.Kojima p27
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies p270

COMPUTER APPLICATIONS

Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll p107
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

DIELECTRICS

Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das p11
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab p61
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith p1

FERRITES AND FERROMAGNETICS

Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos p4

FILTERS, FILTERING AND PREDICTION THEORY

Design procedure for multioctave combline-filter multiplexers. S.A.Alseyab and J.D.Rhodes p346
Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers. K.Madani and C.S.Aitchison p292
Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response. L.Franti and G.M.Paganuzzi p342
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi p173

HISTORY

International harmonisation of microwave standards. A.E.Bailey p70

IMAGE PROCESSING

Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson p138

INSTRUMENTATION AND MEASURING SCIENCE

Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr p33
Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith p1
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner p66

INTEGRATED OPTICS

Impedance measurement using a 6-port directional coupler. A.L.Cullen, S.K.Judah and F.Nikravesh p92
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén p37
Optical waveguide filters for the visible spectrum. A.Yi-Yan, J.A.H.Wilkinson and C.O.W.Wilkinson p335
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone p127

MAGNETIC DEVICES AND PROPERTIES

Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos p4

MATHEMATICAL TECHNIQUES

Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer p133
Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das p11
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner p66
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis p121
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

MICROPROCESSORS

Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister p112

MICROWAVE CIRCUITS AND NETWORKS

Accurate formulas for computer-aided design of shielded microstrip circuits. S.S.Bedair and M.I.Sobhy p305
Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer p133

Investigation into the technique of active reactance compensation to improve the gain-bandwidth performance of microwave bipolar transistor amplifiers. K.Madani and C.S.Aitchison p292
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll p107
Resistive diode microwave mixers used as phase comparators. P.Ruella p251
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll p317

MICROWAVE COMPONENTS

Counter-clockwise reflection-coefficient behaviour on a Smith chart. C.M.Krowne p154 e304
Pseudoelliptical phase-equalised filter allowing good optimisation for both phase and amplitude response. L.Franti and G.M.Paganuzzi p342
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

MICROWAVE MEASUREMENTS

Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young p99
Impedance measurement using a 6-port directional coupler. A.L.Cullen, S.K.Judah and F.Nikravesh p92
International harmonisation of microwave standards. A.E.Bailey p70
Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll p107
Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn p74
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb p87
Microwave Measurements (Editorial). A.L.Cullen p65
Microwave properties of liquids using a modified cavity perturbation technique. A.Kumar and D.G.Smith p1
New expression for mismatch uncertainty when measuring microwave attenuation. F.L.Warner p66
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister p112
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

MICROWAVE SYSTEMS

Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young p99
Design of subreflectors to compensate for Cassegrain main reflector deformations. M.O.Milner and R.H.T.Bates p277
Excitation of propagating spin waves in ferromagnetic films. B.A.Kalinikos p4
International harmonisation of microwave standards. A.E.Bailey p70
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb p87
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister p112
Power gain in Cassegrain antennas with small gridded hyperboloidal subreflectors. R.Neri p241
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi p173
Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson p138

MODULATION

Resistive diode microwave mixers used as phase comparators. P.Ruella p251

NETWORKS

Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn p74
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82

NOISE AND INTERFERENCE

Analysis of optical fibre connectors and modal noise generation. C.Pask p282

OPTICAL FIBRES

Analysis of optical fibre connectors and modal noise generation. C.Pask p282
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
High performance multimode optical fibre acoustic sensor utilising heterodyne detection. T.J.Hall p193
Measurements on jointed optical-fibre cable for the Slough-Maidenhead field trial. J.E.Taylor, S.J.Stannard Powell and D.T.Parr p33
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén p37

OPTICS

Analysis of a 4-port Bragg device. P.D.Bloch and L.Solymer p133
Coverage shaping of contoured-beam antennas by field synthesis. R.Jorgensen p201
Flat disc, radially nonhomogeneous, lenses. S.Cornbleet p330
G.T.D. analysis of scattering from a dielectric-coated conducting cylinder. T.C.K.Rao and M.A.K.Hamid p143
Novel method for coupling between single-mode fibres and integrated optical components and its possible applications. G.Arvidsson and L.Thylén p37

RADAR AND RADIONAVIGATION

Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

RADIATION

Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James p52
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars p209

SEMICONDUCTOR DEVICES AND MATERIALS

Counter-clockwise reflection-coefficient behaviour on a Smith chart. C.M.Krowne p154 e304
Phase-lock techniques for synthesis of microwave frequencies. P.A.McAllister p112

SIGNAL PROCESSING

Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young p99
Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

SONICS AND ULTRASONICS

Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

SURFACE-ACOUSTIC-WAVE DEVICES (S.A.W.)

Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

TRANSDUCERS

Scattering-matrix theory of dispersive interdigital transducers for pulse-compression radar. R.A.Waldron p15

TRANSFORMS

Low-cost computer-based time-domain microwave network analyser. P.R.Rigg and J.E.Carroll p107
Three-dimensional image-construction technique and its application to coherent microwave diagnostics. M.F.Adams and A.P.Anderson p138

TRANSMISSION-LINE THEORY

Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young p99
Loaded coaxial-cable transmission characteristics. T.Higashi and N.Kojima p27

Matrix theory for n-line microwave coupler design. J.E.Carroll and P.R.Rigg p309
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll p315

WAVE PROPAGATION

Matrix theory for n-line microwave coupler design. J.E.Carroll and P.R.Rigg p309
Matrix theory for n-line microwave coupler design. J.E.Carroll and P.R.Rigg p309
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies p270
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis p121
Source region electric field derivation by a dyadic Green's function approach. J.A.R.Ball and P.J.Khan p301

WAVEGUIDES

Analysis of inhomogeneously filled stripline and microstripline. K.K.Joshi, J.S.Rao and B.N.Das p11
Characteristic impedance of nonplanar striplines. K.K.Joshi, J.S.Rao and B.N.Das p287
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab p61
Dual-mode waveguides for variably polarised slotted waveguide array antennas. A.J.Sangster and R.W.Lyon p237
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
Improved bandwidth of microstrip antennas using parasitic elements. C.Wood p231
Measurement of losses in multiconductor cable transmitting in the dipole-mode. E.Sugimoto, H.M.Barlow and J.B.Davies p270
Optical waveguide filters for the visible spectrum. A.Yi-Yan, J.A.H.Wilkinson and C.O.W.Wilkinson p335
Optimisation of a collinear acousto-optic TE_m - TE_n mode converter in $LiNbO_3$. L.N.Binh and J.Livingstone p325
Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder. N.Morita p263
Scattering coefficients of a dielectric taper in a rectangular waveguide. M.Razaz and J.B.Davies p185
Source region electric field derivation by a dyadic Green's function approach. J.A.R.Ball and P.J.Khan p301
Studies of a focused-field filter for multiplexing microwave signals. D.E.N.Davies and A.Y.Niazi p173
Theory of curved diffraction gratings. M.G.F.Wilson and M.C.Bone p127
Variational bound principle for irregular waveguides. K.Kalikstein p358

WAVES AND WAVE SCATTERING

Analysis of radiation pattern and G/T_A for shaped dual-reflector antennas. G.L.James p52
Applications of time-domain methods to microwave measurements. N.S.Nahman, J.R.Andrews, W.L.Gans, M.E.Guillaume, R.A.Lawton, A.R.Ondrejka and M.Young p99
Dielectric-loaded trifurcated horn for H-plane stacked reflector feed array. K.K.Chan, C.C.Huang and A.R.Raab p61
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars p209
Field matching through volume suppression. J.Grzesik p20
Fundamental limitations of wave-front analysis by least squares. J.H.Ellis p219
Fundamental mode propagation on dielectric fibres of arbitrary cross-section. E.F.Keuster and R.C.Pate p41
G.T.D. analysis of scattering from a dielectric-coated conducting cylinder. T.C.K.Rao and M.A.K.Hamid p143
G.T.D. solution for diffraction by convex corrugated surfaces. G.L.James p257
Investigation of a scatterer coupled to an aperture in a conducting screen. C.M.Butler p161
Measurement of symmetrical waveguide discontinuities using the eigenvalue approach. J.Helszajn p74
Microstrip coupler suitable for use as a 6-port reflectometer. R.J.Collier and N.A.El-Deeb p87
Propagation characteristics of elliptical dielectric-tube waveguides. S.R.Rengarajan and J.E.Lewis p121
Scattering and mode conversion of guided modes of a slab waveguide by a circular cylinder. N.Morita p263
Scattering coefficients of a dielectric taper in a rectangular waveguide. M.Razaz and J.B.Davies p185
Simplified calibration equations for the unidirectional and bidirectional computer-corrected network analyser. D.Woods p82
Three-line broadband codirectional microwave couplers using planar comb and herringbone microstrip lines. P.R.Rigg and J.E.Carroll p317
Variational bound principle for irregular waveguides. K.Kalikstein p358

Book Reviews

Acousto-optics: J. Sapriel p81
Atomic Gas Laser transition data: W.R. Bennett p106
Coherence in spectroscopy and modern physics: F.T. Arecchi, R. Bonifacio and M.O. Scully p36
Fiber and integrated optics: D.B. Ostrowsky p334
Microwave devices and circuits: S.Y. Liao p184
Modern transmission line theory: L.N. Dworsky p300
Optical crystallography (5th edition): E.M. Wahlstrom p60